



FEELING COSY AT HOME
A natural choice

NORDICA[®]
Extraflame
Warms up your life.

N D E X

OUR ROOTS	2
STRENGTH	3
UL-C SERIES	
LAVINIA	6
ALASKA	8
GARDENIA XXL	10
ROSA XXL STEEL	12
ROSA XXL MAJOLICA	14
ROSA XXL STONE	16
MILLY	18
GARDENIA	20
ROSA REVERSE CERAMIC	22
ACCESSORIES	
COOKING ACCESSORIES	36
NOTE, LEGEND, CERTIFICATES	39

Trademark and copyright:
All brands, pictures, information and photos, products, advertisements and all other features displayed in this catalogue are the exclusive property of La Nordica S.p.A.

OUR ROOTS.



La Nordica has been Warming Life for over 50 years.

There is work and there is passion. There is a family and there is an ideal. There is optimism and the desire to change, but always in the footsteps of one's own tradition. There's all this, and even more, in a La Nordica product. This is well known by the many customers who rely on this large group that has become synonymous

with warmth, reliability and safety.

More than fifty years have passed since Silvano, Giannino and Giorgio Dal Zotto began this adventure that today the family carries on with the spirit of our times, investing in technology and innovation. From the 1960s to the present, the production of stoves, cookers, wood-burning and pellet fireplaces and boilers has transformed

itself into a great industrial reality, but the love and dedication of the beginnings have remained unchanged. A journey that in the last five decades has led the Group to positioning itself as a leader in an international market in more than 50

countries around the world, with an offer of over 200 Hi-tech Made in Italy Products for the production of energy for domestic heating using biomass. A history of quality

Our history is at the roots of our future.



STRENGTH.

+200 Innovative products



Over 200 articles for the production of energy for domestic heating: wood-burning and pellet stoves, fireplaces, cookers, thermo-products and boilers. A proposal of quality and continuous innovation that puts the Group at the forefront of the sector.

5 Production Plants



The La Nordica-Extraflame Group has reached a prestigious international position thanks to 5 production plants, all of them strictly Made in Italy.

+50 Countries in the world



The La Nordica-Extraflame sales network can supply its products in over 50 foreign countries.

7 Thematic classrooms



In the Training Centre, equipped with 6 thematic classrooms, technicians and salespeople undergo constant training, to be able to meet all the needs of the end user.

+400 Technical Assistance Centres in Europa



To ensure rapid and timely interventions on products, over the years the La Nordica-Extraflame Group has created and consolidated on the territory a widespread network of qualified and authorised technicians, constantly trained on the innovations on the products and services and in direct contract with "Customer Service".

T
E
C
H
N
O
L
O
G
Y

WOOD-BURNING




Hearth in Nordiker

La Nordica uses a special material called Nordiker for the production of hearth walls refractories.



Post combustion

The combustion system developed by La Nordica allows, due to a secondary/tertiary air system, a post combustion which significantly reduces emissions.



Doors in cast iron

The high-quality cast-iron doors are made to last and ensure perfect sealing at all times.



Automatic safety device

It is a safety device created to quickly reduce water temperature, according to rules in force. DSA valve not included.



Glass cleaning system

A system of pre-heated air which removes any deposit from the fire-door glass.



Direct outdoor air intake (BBC)

Air intake system which draws fresh air from outside directly into the adjust system combustion regulation of the firebox of the appliance.



Outdoor air intake (ASC)

A particular connection system which allows to introduce air from the outside into the pre-heated environment around the fire-box.



Radiant system (PRS)

High efficiency Heat exchanger system

UL-C SERIES

The quality and solidity of the materials, the harmony of the lines, the care in the realisation and the safety in use. With this in mind, "La Nordica" wood-burning products are born.

The La Nordica appliances of the UL-C series are solid-fuel, i.e. wood, stoves and cookstoves specifically designed to fulfill all the safety requirements required by the market. In particular, these products have been certified to the test standards UL 1482 and ULC S627 for the US and Canadian markets, respectively. Installation compliance is given by following the requirements of the test standards together with the national installation codes for each country.

Page	Dimensions (WxHxD)	BTU/h*	Smoke outlet diameter	Oven capacity	External covering
6 LAVINIA	29.8 x 29.7 x 27 inch**	40,604**	6 inch	-	Enamelled cast-iron
8 ALASKA	51.5 x 33.9 x 26.8 inch	40,946	6 inch	20.6 gal	Enamelled cast-iron
10 GARDENIA XXL	42.3 x 33.9 x 26.9 inch**	29,003**	6 inch	20.6 gal	Enamelled steel or Natural Stone
12 ROSA XXL STEEL	42.3 x 34 x 26.3 inch	29,003	6 inch	20.6 gal	Enamelled steel
14 ROSA XXL MAJOLICA	42.3 x 34 x 26.3 inch	29,003	6 inch	20.6 gal	Majolica
16 ROSA XXL STONE	42.3 x 34 x 26.3 inch	29,003	6 inch	20.6 gal	Natural Stone
18 MILLY	41.5 x 34 x 26.5 inch	29,686	6 inch	20.6 gal	Enamelled steel and majolica
20 GARDENIA	37.5 x 34 x 26.3 inch	27,638	6 inch	14.6 gal	Enamelled steel or Natural Stone
22 ROSA REVERSE CERAMIC	40.6 x 33.5 x 25.6 inch	27,638	6 inch	7.5 gal	Majolica
24 ROSA SINISTRA REVERSE	40.6 x 33.5 x 25.6 inch	27,980	6 inch	7.5 gal	Majolica or Natural Stone
26 ROSA CERAMIC	40.6 x 33.5 x 25.6 inch	28,662	6 inch	10.8 gal	Majolica
28 ROSA MAJOLICA	40.6 x 33.5 x 25.6 inch	28,662	6 inch	10.8 gal	Majolica
30 ROSA STONE	40.6 x 33.5 x 25.6 inch	28,662	6 inch	10.8 gal	Natural Stone
32 ROSA L	38.4 x 33.9 x 26.4 inch	27,638	6 inch	14.6 gal	Enamelled steel

* Data obtained in accordance with European standards

** Provisional data in phase of homologation

LAVINIA

Cast iron catalytic wood stove

40,604* BTU/h** | up to 1,350* sqft**

New 2025

CHARACTERISTICS



STANDARD EQUIPMENT



MULTI-PURPOSE OPERATING TOOL (1 piece)



Top smoke outlet



Rear smoke outlet

TECHNOLOGY



N.B. When used correctly, enamelled cast iron has an almost unlimited lifespan and requires minimal maintenance.

TECHNICAL DATA

Nominal power*
40,604 BTU/h **

Efficiency*
> 85 %**

Hourly consumption*
7.1 lb/h **

Dimensions (WxHxD)
29.8 x 29.7 x 27 inch **

Net weight
595 lb **

Fumes flue diameter (Ø)
6 inch B/T **

Hearth opening size (WxH)
17.7 x 8.3 inch **

Hearth dimensions (WxHxD)
23.2 x 10.6 x 11.8 inch **

Wood length (max)
19.7 inch **

Download
technical data
sheet



SCAN ME

* Data obtained in accordance with EN 16510-2-1

** Provisional data in phase of homologation



FINISHES

Enamelled cast-iron stove



Anthracite
black

LA NORDICA • LAVINIA UL-C

Colour

Anthracite black

Code

3007441



Side-loading door
with retractable handle

ALASKA

Wood burning cooker

40,946* BTU/h | up to 1,370* sqft

CHARACTERISTICS



TECHNICAL DATA

Nominal power*
40,946 BTU/h

Efficiency*
88.6%

Hourly consumption*
7.1 lb/h

Dimensions (WxHxD)
51.5 x 33.9 x 26.8 inch

Net weight
772 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
15.9 x 11.0 inch

Hearth dimensions (WxHxD)
15.7 x 13.4 x 18.1 inch

Oven dimensions (WxHxD)
17.1 x 16.5 x 16.9 inch

Wood length (max)
11.8 inch

Oven capacity
20.6 gallons

Download
technical data
sheet



SCAN ME

* Data obtained in accordance with EN 12815:2006

STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



INOX OVEN GRID (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)



ADDITIONAL RING FOR VENTILATION
AIR FITTING Ø 100 mm RING (1 piece)

OPTIONAL



Chrome plated handrail and terminals

TECHNOLOGY



Nordiker



Post



cast



cleaning



air

N.B. When used correctly, enamelled cast iron has an almost unlimited lifespan and requires minimal maintenance.



FINISHES

External covering in enamelled cast iron



Glazed Black

LA NORDICA • ALASKA UL-C

Colour

Glazed Black

Code

7016055

OPTIONAL



Handrail and end caps
Chrome

Code

7016057



Enamelled backing tray
Dimensions: 15.2 x 16.8 inch
Enamelled backing tray
(to place on the grid)
Dimensions: 15.2 x 11.6 inch


1017229

1119000



Double inox grid


7016150



Inox Oven grid
Dimensions: 16.8 x 16.1 inch

1017109

DETAIL



Three-ring plate


GARDENIA XXL

Wood-burning cooker with **cast iron oven**

29,003* BTU/h** | up to 1,000* sqft**

New 2025

CHARACTERISTICS



TECHNICAL DATA

Nominal power*
29,003 BTU/h **

Efficiency*
85.0% **

Hourly consumption*
5 lb/h **

Dimensions (WxHxD)
42.3 x 33.9 x 26.9 inch **

Net weight
445 lb ** (Anthracite black)
489 lb ** (Natural stone)

Fumes flue diameter (Ø)
6 inch B/T **

Hearth opening size (WxH)
8.8 x 8.3 inch **

Hearth dimensions (WxHxD)
11.6 x 12.0 x 18.1 inch **

Oven dimensions (WxHxD)
17.1 x 16.5 x 16.9 inch **

Wood length (max)
11.8 inch **

Oven capacity
20.6 gallons **

[Download technical data sheet](#)



SCAN ME

* Data obtained in accordance with EN 12815:2006

** Provisional data in phase of homologation

STANDARD EQUIPMENT



ENAMELED OVEN PAN (1 piece)



EASY PIZZA KIT
Pizza stone (1 piece) + peel (1 piece)



CHROME PLATED OVEN GRILL (1 piece)



AIR FITTING VENTILATION ADDITIONAL
Ø 6 inch RING (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)



FINISHES

Cast iron and enamelled steel cladding or natural stone



Anthracite black



Natural stone

LA NORDICA • GARDENIA XXL UL-C

Colour	Code
	3007236
	3007216

OPTIONAL

Code
Enamelled oven pan Dimensions: 15.2 x 16.8 inch
Enamelled oven pan (to place on the grid) Dimensions: 15.2 x 11.6 inch
Inox Oven grid Dimensions: 16.8 x 16.1 inch

TECHNOLOGY



N.B. When used correctly, enamelled cast iron has an almost unlimited lifespan and requires minimal maintenance.

ROSA XXL STEEL

Wood burning cooker

29,003* BTU/h | up to 1,000* sqft



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
29,003 BTU/h

Efficiency*
85.0 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
42.3 x 34 x 26.3 inch

Net weight
446 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8.8 x 8.3 inch

Hearth dimensions (WxHxD)
11.6 x 12.0 x 18.1 inch

Oven dimensions (WxHxD)
17.1 x 16.5 x 16.9 inch

Wood length (max)
11.8 inch

Oven capacity
20.6 gallons

* Data obtained in accordance with EN 12815:2006

Download
technical sheet



SCAN ME



STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



KIT 3 BLACK TILES (3.9 x 3.9 inch)



INOX OVEN GRID (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

COLOUR CHOICES

External finish in enameled steel



Anthracite
Black

LA NORDICA • ROSA XXL UL-C STEEL

Colour	Code
	7015300

OPTIONS

Code
Enamelled backing tray Dimensions: 15.2 x 16.8 inch
1017229
Inox oven grid Dimensions: 16.8 x 16.1 inch
1017109
Additional ring for ventilation Air fitting Ø 120 mm ring
1130100

TECHNOLOGY



Post
combustion



Doors in
cast iron



Glass cleaning
system



Outdoor air
intake (ASC)

N.B. Enamelled cast iron, when used correctly, has almost an
unlimited life and requires minimal maintenance.

ROSA XXL MAJOLICA

Wood burning cooker

29,003* BTU/h | up to 1,000* sqft



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
29,003 BTU/h

Efficiency*
85.0 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
42.3 x 34 x 26.3 inch

Net weight
519 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8.8 x 8.3 inch

Hearth dimensions (WxHxD)
11.6 x 12.0 x 18.1 inch

Oven dimensions (WxHxD)
17.1 x 16.5 x 16.9 inch

Wood length (max)
11.8 inch

Oven capacity
20.6 gallons

[Download technical sheet](#)



SCAN ME

* Data obtained in accordance with EN 12815:2006

STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



INOX OVEN GRID (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Outdoor air intake (ASC)



COLOUR CHOICES

External facing in majolica



White Infinity



Bordeaux

LA NORDICA • ROSA XXL UL-C MAJOLICA

Colour	Code
<input type="checkbox"/> White Infinity	7015302
<input checked="" type="checkbox"/> Bordeaux	7015303

OPTIONS

Code
1017229

Code
1017109

Code
1130100

N.B. Enamelled cast iron, when used correctly, has almost an unlimited life and requires minimal maintenance.

ROSA XXL STONE

Wood burning cooker

29,003* BTU/h | up to 1,000* sqft



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
29,003 BTU/h

Efficiency*
85.0 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
42.3 x 34 x 26.3 inch

Net weight
607 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8.8 x 8.3 inch

Hearth dimensions (WxHxD)
11.6 x 12.0 x 18.1 inch

Oven dimensions (WxHxD)
17.1 x 16.5 x 16.9 inch

Wood length (max)
11.8 inch

Oven capacity
20.6 gallons

[Download technical sheet](#)



SCAN ME

* Data obtained in accordance with EN 12815:2006

STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



INOX OVEN GRID (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Outdoor air intake (ASC)

N.B. Enameled cast iron, when used correctly, has almost an unlimited life and requires minimal maintenance.



COLOUR CHOICES

External facing in natural stone



Natural Stone

LA NORDICA • ROSA XXL UL-C STONE

Colour	Code
	7015301

OPTIONS

Code
Enamelled backing tray Dimensions: 15.2 x 16.8 inch
Inox Oven grid Dimensions: 16.8 x 16.1 inch
Additional ring for ventilation Air fitting Ø 120 mm ring

MILLY

Wood burning cooker

29,686* BTU/h | up to 1,000* sqft



CHARACTERISTICS



DONNÉES TECHNIQUES

Nominal power*

29,686 BTU/h

Efficiency*

89.1 %

Hourly consumption*

5 lb/h

Dimensions (LxHxD)

41.5 x 34 x 26.5 inch (without food warmer)

Net weight

479 lb (without food warmer)

Fumes flue diameter (Ø)

6 inch B/T

Hearth opening size (WxH)

9.5 x 7.3 inch

Hearth dimensions (WxHxD)

10.5 x 11.3 x 18.0 inch

Oven dimensions (WxHxD)

17.0 x 16.5 x 17.0 inch

Wood length (max)

11.8 inch

Oven capacity

20.6 gallons

Download technical sheet

SCAN ME

* Data obtained in accordance with EN 12815:2006

STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



INOX OVEN GRID (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)



ADDITIONAL RING FOR VENTILATION AIR FITTING Ø 100 mm RING (1 piece)

TECHNOLOGY



Hearth in Nordiker



Post combustion



Doors in cast iron



Glass cleaning system



Direct outdoor air intake (BBC)

OPTIONAL



Food warmer (optional): Interior in lava stone and stainless steel for food use



COLOUR CHOICES

Finish in enamelled steel and majolica



Bordeaux



White Infinity

LA NORDICA • MILLY UL-C STEEL WITH MAJOLICA

Colour	Code
	7018005
	7018006

OPTIONAL



Dimensions (WxHxD 38.9 x 28 x 14.6 inch)



Food warmer White Infinity

dimensions (WxHxD)

38.9 x 28 x 14.6 inch

Attention: pipe not included



dimensions (WxHxD)

38.9 x 28 x 14.6 inch

Attention: pipe not included



dimensions (WxHxD)

16.8 x 16.1 inch

1017109

N.B. Enamelled cast iron, when used correctly, has almost an unlimited life and requires minimal maintenance.

GARDENIA

Wood-burning cooker

27,638* BTU/h | up to 1,000* sqft



New 2024

CHARACTERISTICS



TECHNICAL DATA

Nominal power*
27,638 BTU/h

Efficiency*
84.0 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
37.5 x 34.0 x 26.3 inch

Net weight
434 lb (Anthracite black)
467 lb (Natural stone)

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8.9 x 8.3 inch

Hearth dimensions (WxHxD)
11.7 x 12.0 x 18.1 inch

Oven dimensions (WxHxD)
12.1 x 16.5 x 16.9 inch

Wood length (max)
11.8 inch

Oven capacity
14.6 gallons

Download
technical sheet



SCAN ME

* Data obtained in accordance with EN 12815:2006

STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



INOX OVEN GRID (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)



TECHNOLOGY



N.B. When used correctly, enamelled cast iron has an almost unlimited lifespan and requires minimal maintenance.



COLOUR CHOICES

Cast iron and enamelled steel cladding or natural stone



Anthracite black



Natural stone

LA NORDICA • GARDENIA UL-C STEEL

Colour	Code
	7015480
	7015484

OPTIONAL

Code
Enamelled oven pan Dimensions: 11.7 x 14.8 inch
Inox Oven grid Dimensions: 11.7 x 15.0 inch

ROSA REVERSE CERAMIC

Wood burning cooker

27,638* BTU/h | up to 950* sqft



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
27,638 BTU/h

Efficiency*
81.1 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
40.6 x 33.5 x 25.6 inch

Net weight
404 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
13.8 x 9.3 inch

Hearth dimensions (WxHxD)
14.7 x 11.4 x 12.6 inch

Oven dimensions (WxHxD)
9.6 x 11.9 x 15.1 inch

Wood length (max)
8.7 inch

Oven capacity
7.5 gallons

Download
technical sheet



SCAN ME

* Data obtained in accordance with EN 12815:2006

STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

DETAIL



Wood drawer

TECHNOLOGY



Post
combustion



Doors in
cast iron



Glass cleaning
system



Direct outdoor
air intake (BBC)



COLOUR CHOICES

External facing in majolica



Liberty
Bordeaux



Liberty
Panna

LA NORDICA • ROSA REVERSE UL-C CERAMIC

Colour	Code
Liberty Bordeaux	7015316
Liberty Panna	7015325

OPTIONAL

Code
Inox tank 4.5
Inox Oven grid Dimensions: 9.2 x 15 inch
Enamelled backing tray Dimensions: 9.1 x 15.4 inch

ROSA SINISTRA REVERSE

Wood burning cooker

27,980* BTU/h | up to 950* sqft



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
27,980 BTU/h

Efficiency*
86.5 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
40.6 x 33.5 x 25.6 inch

Net weight
404 - 441 Stone lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
13.8 x 9.3 inch

Hearth dimensions (WxHxD)
14.7 x 11.4 x 12.6 inch

Oven dimensions (WxHxD)
9.6 x 11.9 x 15.1 inch

Wood length (max)
8.7 inch

Oven capacity
7.5 gallons

[Download technical sheet](#)



SCAN ME

* Data obtained in accordance with EN 12815:2006

STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Direct outdoor air intake (BBC)



COLOUR CHOICES

External facing in majolica or in natural stone



Liberty Bordeaux
(Ceramic)



Liberty Panna
(Ceramic)



Natural stone (Stone)

LA NORDICA • ROSA SINISTRA REVERSE UL-C

Colour	Code
Liberty Bordeaux	7015317
Liberty Panna	7015327
Natural stone	7015309

OPTIONAL

Code
Inox tank 4.5
Inox Oven grid Dimensions: 9.2 x 15 inch
Enamelled backing tray Dimensions: 9.1 x 15.4 inch

ROSA CERAMIC

Wood burning cooker

28,662* BTU/h | up to 1,050* sqft



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
28,662 BTU/h

Efficiency*
87.1 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
40.6 x 33.5 x 25.6 inch

Net weight
404 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8.7 x 10.4 inch

Hearth dimensions (WxHxD)
10.7 x 12.6 x 14.3 inch

Oven dimensions (WxHxD)
13 x 11.8 x 16 inch

Wood length (max)
11.8 inch

Oven capacity
10.8 gallons

Download
technical sheet



SCAN ME

* Data obtained in accordance with EN 12815:2006

STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



Post
combustion



Doors in
cast iron



Glass cleaning
system



Outdoor air
intake (ASC)



COLOUR CHOICES

External facing in majolica



Liberty Bordeaux



Liberty Panna

LA NORDICA • ROSA UL-C CERAMIC

Colour	Code
Liberty Bordeaux	7015311
Liberty Panna	7015326

OPTIONAL

	Inox tank 4.5	1014950
	Inox Oven grid Dimensions: 11.7 x 15 inch	1014100
	Enamelled backing tray Dimensions: 11.7 x 14.8 inch	1014024
	High-adjustable grate	1035402
	Additional ring for ventilation Air fitting Ø 120 mm ring	1130100

ROSA MAJOLICA

Wood burning cooker

28,662* BTU/h | up to 1,050* sqft



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
28,662 BTU/h

Efficiency*
87.1 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
40.6 x 33.5 x 25.6 inch

Net weight
450 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8.7 x 10.4 inch

Hearth dimensions (WxHxD)
10.7 x 12.6 x 14.3 inch

Oven dimensions (WxHxD)
13 x 11.8 x 16 inch

Wood length (max)
11.8 inch

Oven capacity
10.8 gallons

[Download technical sheet](#)



SCAN ME

* Data obtained in accordance with EN 12815:2006

STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Outdoor air intake (ASC)



COLOUR CHOICES

External facing in majolica



White Infinity



Bordeaux



Tortora

LA NORDICA • ROSA UL-C MAJOLICA

Colour	Code
<input type="checkbox"/> White Infinity	7015313
<input checked="" type="checkbox"/> Bordeaux	7015314
<input type="checkbox"/> Tortora	7015315

OPTIONAL

	Inox tank 4.5	Code 1014950
	Inox Oven grid Dimensions: 11.7 x 15 inch	1014100
	Enamelled backing tray Dimensions: 11.7 x 14.8 inch	1014024
	High-adjustable grate	1035402
	Additional ring for ventilation Air fitting Ø 120 mm ring	1130100

ROSA STONE

Wood burning cooker

28,662* BTU/h | up to 1,050* sqft



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
28,662 BTU/h

Efficiency*
87.1 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
40.6 x 33.5 x 25.6 inch

Net weight
441 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8.7 x 10.4 inch

Hearth dimensions (WxHxD)
10.7 x 12.6 x 14.3 inch

Oven dimensions (WxHxD)
13 x 11.8 x 16 inch

Wood length (max)
11.8 inch

Oven capacity
10.8 gallons

[Download technical sheet](#)



SCAN ME

* Data obtained in accordance with EN 12815:2006

STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Outdoor air intake (ASC)



COLOUR CHOICES

External facing in natural stone



Natural stone

LA NORDICA • ROSA UL-C STONE

Colour	Code
	7015312

OPTIONAL

	Inox tank 4.5	1014950
	Inox Oven grid Dimensions: 11.7 x 15 inch	1014100
	Enamelled backing tray Dimensions: 11.7 x 14.8 inch	1014024
	High-adjustable grate	1035402
	Additional ring for ventilation Air fitting Ø 120 mm ring	1130100

ROSA L

Wood burning cooker

27,638* BTU/h | up to 1,000* sqft



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
27,638 BTU/h

Efficiency*
84.0 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
38.4 x 33.9 x 26.4 inch

Net weight
423 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8.9 x 8.3 inch

Hearth dimensions (WxHxD)
11.7 x 12.0 x 18.1 inch

Oven dimensions (WxHxD)
12.1 x 16.5 x 16.9 inch

Wood length (max)
11.8 inch

Oven capacity
14.6 gallons

[Download technical sheet](#)



SCAN ME

* Data obtained in accordance with EN 12815:2006

STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



INOX OVEN GRID (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)



KIT 2 BLACK TILES (3.9 x 3.9 inch)

DETAIL




Wood drawer

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Outdoor air intake (ASC)

N.B. Enamelled cast iron, when used correctly, has almost an unlimited life and requires minimal maintenance.

FINITIONS

External finish in enamelled steel



Anthracite black

LA NORDICA • ROSA L UL-C STEEL

Colour	Code
--------	------

	Anthracite black	7015304
--	------------------	---------

OPTIONAL

Code
Enamelled backing tray Dimensions: 11.7 x 14.8 inch
Ceramic glass top kit
Inox Oven grid Dimensions: 11.7 x 15.0 inch
Additional ring for ventilation Air fitting Ø 120 mm ring

Le Cucinotte

a Nordica's Le Cucinotte are more than just cookware: they are custodians of stories and traditions, a precious piece of sharing and authenticity.

With a design that evokes the charm of the past and cooking performance that meets the demands of today, each dish reflects our commitment to quality and attention to detail. The glass-based enamel finish adds not only beauty, but also unparalleled versatility of use, ideal for food preparation and storage.

Perfect cooking everywhere.


Designed for every type of cooker, including induction, and perfect for any cooking method, Le Cucinotte make for even and controlled cooking at any temperature. Functional but also aesthetic: their elegant design also makes them ideal as serving plates to keep food hot or cold during table service, offering maximum versatility for every occasion.



Oven




Grill



Electric hob



Ceramic glass hob



Gas hob



Induction hob



Radiant ring hob



The range

Our range offers different shapes and sizes to meet every need in the kitchen.



Le Cucinotte have unique characteristics.

EXCELLENCE ON ANY HEAT SOURCE

TOP TASTE AND FLAVOUR

ENAMELLED INTERIOR

COMFORTABLE AND DURABLE

AS STRONG AS CAST IRON



ROUND
Ø 9.4 inch / 1.1 gal

code 7019000



ROUND
Ø 11.4 inch / 1.1 gal

code 7019010



ROUND
Ø 11 inch / 1.6 gal

code 7019005




ROUND
Ø 13 inch / 1.6 gal

code 7019015




ACCESSORIES

**THE IDEAL SOLUTION TO FACILITATE
THE INSTALLATION AND USE
OF OUR PRODUCTS**

To satisfy even the most demanding customers, we have enhanced our catalogue with important accessories.



COOKING ACCESSORIES

Description	Code
Milly warming compartment  	<ul style="list-style-type: none"> • Top food warmer with back for Milly cookers • Enameled cast iron sides • Interior in lava stone and stainless steel for food use
Food warmer Bordeaux dimensions (WxHxD) 38.9 x 28 x 14.6 inch Attention: pipe not included	7018010
Food warmer White Infinity dimensions (WxHxD) 38.9 x 28 x 14.6 inch Attention: pipe not included	7018013
Rosa high-adjustable grate 	<p>High-adjustable grate for the cast iron hearth of</p> <ul style="list-style-type: none"> • Rosa
Oven grid 	<p>Inox Oven grid 11.7 x 15 inch. Available for:</p> <ul style="list-style-type: none"> • Rosa • Rosa L
	<p>Inox Oven grid 9.2 x 15 inch. Available for:</p> <ul style="list-style-type: none"> • Rosa Reverse • Rosa Sinistra Reverse
	<p>Inox Oven grid 16.8 x 116.1 inch. Available for:</p> <ul style="list-style-type: none"> • Milly • Rosa XXL • Alaska • Gardenia XXL
Inox grid 	<p>Double inox grid. Available for:</p> <ul style="list-style-type: none"> • Alaska
Additional ring for ventilation 	<p>Air fitting ventilation additional Ø 120mm ring. Available for:</p> <ul style="list-style-type: none"> • Rosa • Rosa L • Rosa XXL

COOKING ACCESSORIES

Description	Code
Enameled backing tray Enameled backing tray 11.7 x 14.8 inch. Available for: • Rosa • Rosa L	1014024
Enameled backing tray 9.1 x 15.4 inch. Available for: • Rosa Reverse • Rosa Sinistra Reverse	1210610
Enameled backing tray 15.2 x 16.8 inch. Available for: • Rosa XXL • Milly • Alaska • Gardenia XXL	1017229
Enameled backing tray 15.2 x 11.6 inch. Available for: • Alaska (to place on the grid) • Gardenia XXL (to place on the grid)	1119000

CERTIFICATES



ETL (Electrical Testing Laboratories) – Product Safety Approval.

The ETL Listed marking certifies that the product has been tested by an independent and accredited laboratory (Intertek), complying with the minimum safety requirements, recognized and accepted in the same way as the UL and ULC marking, to be sold and distributed in the territory of North America.

"The La Nordica appliances of the UL-C series are solid-fuel, i.e. wood, cookstoves specifically designed to fulfill all the safety requirements required by the market. In particular, these products have been certified to the test standards UL 1482 and ULC S627 for the US and Canadian markets, respectively. Installation compliance is given by following the requirements of the test standards together with the national installation codes for each country."

Inox tank



Inox tank 4.5. Available for:	1014950
• Rosa • Rosa Sinistra Reverse • Rosa Reverse	

Handrail and end caps



Chrome plated handrail and terminals. Available for:	7016057
• Alaska	

Ceramic glass top kit



Ceramic glass top kit. Available for:	7016255
• Rosa L	

NOTE

Due to printing reasons the reproduction of colours has to be considered only indicative.

Facing tones and characteristics are subject to slight variations because they are natural products.

The manufacturers reserve the right to change the products without any previous notice.

The La Nordica products can be covered by industrial property rights (such as patents, designs and trademarks) owned by La Nordica exclusively.

It is strictly forbidden to violate these rights as for removing, cancelling or corrupting the trademarks impressed on the products and impressing others.

yd³ that can be heated: the data is indicative. For the generator to be sized correctly, contact a skilled technician/designer.

Interim document and subject to changes

LEGEND

BTU/h: Nominal thermal power (BTU/h) - **sqft:** Heatable ft² - **%:** Efficiency (%) - **lb/h:** Hourly consumption (lb/h) -

Ø inch: Smoke outlet diameter (inch) T = Top, B = Back, RH side = Right side, LH side = Left side - **Dim. WxHxD:** Dimensions WxHxD (inch) -

lb: Net weight (lb) - **W:** Electrical power consumption (W)



FEELING COSY AT HOME
A natural choice





Warms up your life.



La Nordica S.p.A.

Via Summano, 104 • 36030 Montecchio Precalcino - Vicenza - Italy
Tel. +39 0445 804000
export@lanordica.com

www.lanordica-extraflame.com

93300276-001



MGA Group.it

