

PROPERTY LIST

WOOD BURNING
COOKERS



n 1.2023 EN

Recommended retail price without VAT

L3

NORDICA[®]
Extraflame

Warms up your life.

INDEX

OUR ROOTS	2
STRENGTH	3

UL-C SERIES

ALASKA	6	ROSA STONE	24
ROSA XXL STEEL	8	ROSA L	26
ROSA XXL MAJOLICA	10		
ROSA XXL STONE	12		
MILLY	14	ACCESSORIES	
ROSA REVERSE CERAMIC	16	COOKING ACCESSORIES	28
ROSA SINISTRA REVERSE	18		
ROSA CERAMIC	20	TERMS AND CONDITIONS	
ROSA MAJOLICA	22	OF SALE	31

OUR ROOTS.



La Nordica has been Warming Life for over 50 years.

There is work and there is passion. There is a family and there is an ideal. There is optimism and the desire to change, but always in the footsteps of one's own tradition. There's all this, and even more, in a La Nordica product. This is well known by the many customers who rely on this large group that has become synonymous

with warmth, reliability and safety.

More than fifty years have passed since Silvano, Giannino and Giorgio Dal Zotto began this adventure that today the family carries on with the spirit of our times, investing in technology and innovation. From the 1960s to the present, the production of stoves, cookers, wood-burning and pellet fireplaces and boilers has transformed

itself into a great industrial reality, but the love and dedication of the beginnings have remained unchanged. A journey that in the last five decades has led the Group to positioning itself as a leader in an international market in more than 50 countries around the world, with an offer of over 200 Hi-tech Made in Italy Products for the production of energy for domestic heating using biomass. A history of quality

and continuous renewal, attested by the most up-to-date international certifications, puts the Group's proposals at the forefront of the sector.

Our history is at the roots of our future.



STRENGTH.

+200 Innovative products



Over 200 articles for the production of energy for domestic heating: wood-burning and pellet stoves, fireplaces, cookers, thermo-products and boilers. A proposal of quality and continuous innovation that puts the Group at the forefront of the sector.

5 Production Plants



The La Nordica-Extraflame Group has reached a prestigious international position thanks to 5 production plants, all of them strictly Made in Italy.

+50 Countries in the world



The La Nordica-Extraflame sales network can supply its products in over 50 foreign countries.

6 Thematic classrooms



In the Training Centre, equipped with 6 thematic classrooms, technicians and salespeople undergo constant training, to be able to meet all the needs of the end user.

400 Technical Assistance Centres in Europa



To ensure rapid and timely interventions on products, over the years the La Nordica-Extraflame Group has created and consolidated on the territory a widespread network of qualified and authorised technicians, constantly trained on the innovations on the products and services and in direct contract with "Customer Service".

WOOD-BURNING



Hearth in Nordiker
La Nordica uses a special material called Nordiker for the production of hearth walls refractories.



Post combustion
The combustion system developed by La Nordica allows, due to a secondary/tertiary air system, a post combustion which significantly reduces emissions.



Doors in cast iron
The high-quality cast-iron doors are made to last and ensure perfect sealing at all times.



Automatic safety device
It is a safety device created to quickly reduce water temperature, according to rules in force. DSA valve not included.




Glass cleaning system
A system of pre-heated air which removes any deposit from the fire-door glass.




Direct outdoor air intake (BBC)
Air intake system which draws fresh air from outside directly into the adjust system combustion regulation of the firebox of the appliance.



Outdoor air intake (ASC)
A particular connection system which allows to introduce air from the outside into the pre-heated environment around the fire-box.



Radiant system (PRS)
High efficiency Heat exchanger system



WOOD-BURNING COOKERS UL-C

La Nordica woodburning cookers combine technology and attention to the materials with the values of tradition and the flavours of the past, to offer the possibility of cooking freely, and at the same time, heating your home. In fact, cooking with a wood-burning stove gives food a unique taste and releases the traditional aromas, without sacrificing the comfort and efficiency of its performance for heating the rooms.

The use of quality materials and the skilful design allow you to take advantage of every bit of heat in an efficient and environmentally friendly way using an energy source.

The La Nordica appliances of the UL-C series are solid-fuel, i.e. wood, cookstoves specifically designed to fulfill all the safety requirements required by the market. In particular, these products have been certified to the test standards UL 1482 and ULC S627 for the US and Canadian markets, respectively. Installation compliance is given by following the requirements of the test standards together with the national installation codes for each country.

Page	Dimensions (WxHxD)	BTU/h*	Smoke outlet diameter	Oven capacity	External covering	
6	ALASKA	51,5 x 33,9 x 26,8 inch	40.946	6 inch	20,6 gal	Enameled cast-iron
8	ROSA XXL STEEL	42,3 x 34 x 26,3 inch	29.003	6 inch	20,6 gal	Enameled steel
10	ROSA XXL MAJOLICA	42,3 x 34 x 26,3 inch	29.003	6 inch	20,6 gal	Majolica
12	ROSA XXL STONE	42,3 x 34 x 26,3 inch	29.003	6 inch	20,6 gal	Natural Stone
14	MILLY	41,5 x 34 x 26,5 inch	29.686	6 inch	20,6 gal	Enameled steel and majolica
16	ROSA REVERSE CERAMIC	40,6 x 33,5 x 25,6 inch	27.638	6 inch	7,5 gal	Majolica
18	ROSA SINISTRA REVERSE CERAMIC	40,6 x 33,5 x 25,6 inch	27.980	6 inch	7,5 gal	Majolica
20	ROSA CERAMIC	40,6 x 33,5 x 25,6 inch	28.662	6 inch	10,8 gal	Majolica
22	ROSA MAJOLICA	40,6 x 33,5 x 25,6 inch	28.662	6 inch	10,8 gal	Majolica
24	ROSA STONE	40,6 x 33,5 x 25,6 inch	28.662	6 inch	10,8 gal	Natural Stone
26	ROSA L	38,4 x 34 x 26,4 inch	27.638	6 inch	14,6 gal	Enameled steel

N.B.: The technical specifications are verified for every single product

* Data obtained in accordance to EN 12815:2006


ALASKA

Wood-burning cooker

40.946* BTU/h | 450 yd³



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
40.946 BTU/h

Efficiency*
88,6%

Hourly consumption*
7,1 lb/h

Dimensions (WxHxD)
51,5 x 33,9 x 26,8 inch

Net weight
772 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
15,9 x 11 inch

Hearth dimensions (WxHxD)
15,7 x 13,4 x 18,1 inch

Oven dimensions (WxHxD)
17,1 x 16,5 x 16,9 inch

Wood length (max)
11,8 inch

Oven capacity
20,6 gallons

Download technical data sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006

STANDARD EQUIPMENT



OPTIONAL



TECHNOLOGY



N.B. When used correctly, enamelled cast iron has an almost unlimited lifespan and requires minimal maintenance.




FINISHES

External covering in enamelled cast iron



Glazed Black

DETAIL



Three-ring plate

LA NORDICA • ALASKA

Colour	Code	Price
Glazed Black	7016055	\$6,090.00

OPTIONAL

	Code	Price
Handrail and end caps Chrome	7016057	
Enamelled backing tray Dimensions: 15,2 x 16,8 inch	1017229	
Enamelled backing tray (to place on the grid) Dimensions: 15,2 x 11,6 inch	1119000	
Double inox grid	7016150	
Inox Oven grid Dimensions: 16,8 x 16,1 inch	1017109	\$31.49


ROSA XXL STEEL

Wood burning cooker

29.003* BTU/h | 319* yd³



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
29.003 BTU/h

Efficiency*
85,0 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
42,3 x 34 x 26,3 inch

Net weight
446 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8,8 x 8,3 inch

Hearth dimensions (WxHxD)
11,6 x 12 x 18,1 inch

Oven dimensions (WxHxD)
17,1 x 16,5 x 16,9 inch

Wood length (max)
11,8 inch

Oven capacity
20,6 gallons

Download technical sheet



SCAN ME


* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



KIT 3 BLACK TILES (3,9 x 3,9 inch)



INOX OVEN GRID (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Outdoor air intake (ASC)

N.B. Enameled cast iron, when used correctly, has almost an unlimited life and requires minimal maintenance.

COLOUR CHOICES

External finish in enameled steel



Anthracite Black

LA NORDICA • ROSA XXL STEEL

Colour	Code	Price
Anthracite Black	7015300	\$3,675.00

OPTIONAL

	Code	Price
Enameled backing tray Dimensions: 15,2 x 16,8 inch	1017229	
Inox Oven grid Dimensions: 16,8 x 16,1 inch	1017109	\$31.49


ROSA XXL MAJOLICA

Wood burning cooker

29.003* BTU/h | 319* yd³



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
29.003 BTU/h

Efficiency*
85,0 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
42,3 x 34 x 26,3 inch

Net weight
519 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8,8 x 8,3 inch

Hearth dimensions (WxHxD)
11,6 x 12 x 18,1 inch

Oven dimensions (WxHxD)
17,1 x 16,5 x 16,9 inch

Wood length (max)
11,8 inch

Oven capacity
20,6 gallons

Download technical sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



INOX OVEN GRID (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Outdoor air intake (ASC)

N.B. Enameled cast iron, when used correctly, has almost an unlimited life and requires minimal maintenance.

COLOUR CHOICES

External facing in majolica





White Infinity





Bordeaux

LA NORDICA • ROSA XXL MAJOLICA

Colour	Code	Price
 White Infinity	7015302	\$4,095.00
 Bordeaux	7015303	\$4,095.00

OPTIONAL

	Code	Price
 Enameled backing tray Dimensions: 15,2 x 16,8 inch	1017229	
 Inox Oven grid Dimensions: 16,8 x 16,1 inch	1017109	\$31.49

ROSA XXL STONE

Wood burning cooker

29.003* BTU/h | 319* yd³



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
29.003 BTU/h

Efficiency*
85,0 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
42,3 x 34 x 26,3 inch

Net weight
607 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8,8 x 8,3 inch

Hearth dimensions (WxHxD)
11,6 x 12 x 18,1 inch

Oven dimensions (WxHxD)
17,1 x 16,5 x 16,9 inch

Wood length (max)
11,8 inch

Oven capacity
20,6 gallons

Download technical sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



INOX OVEN GRID (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Outdoor air intake (ASC)

N.B. Enameled cast iron, when used correctly, has almost an unlimited life and requires minimal maintenance.

COLOUR CHOICES

External facing in natural stone



Natural Stone

LA NORDICA • ROSA XXL STONE

Colour	Code	Price
Natural stone	7015301	\$4,200.00

OPTIONAL

	Code	Price
Enameled backing tray Dimensions: 15,2 x 16,8 inch	1017229	
Inox Oven grid Dimensions: 16,8 x 16,1 inch	1017109	\$31.49

MILLY

Wood burning cooker

29.686* BTU/h | 326* yd³



CHARACTERISTICS

- Vitrified cast-iron top frame



TECHNICAL DATA

Nominal power*
29.686 BTU/h

Efficiency*
89,1 %

Hourly consumption*
5 lb/h

Dimensions (LxHxD)
41,5 x 34 x 26,5 inch (without food warmer)

Net weight
479 lb (without food warmer)

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
9,5 x 7,3 inch

Hearth dimensions (WxHxD)
10,5 x 11,3 x 18 inch

Oven dimensions (WxHxD)
17 x 16,5 x 17 inch

Wood length (max)
11,8 inch

Oven capacity
20,6 gallons

Download technical sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006

STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



INOX OVEN GRID (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

OPTIONAL



Food warmer (optional): Interior in lava stone and stainless steel for food use

TECHNOLOGY



Hearth in Nordiker



Post combustion



Doors in cast iron



Glass cleaning system

N.B. Enameled cast iron, when used correctly, has almost an unlimited life and requires minimal maintenance.



COLOUR CHOICES

Finish in enamelled steel and majolica



Bordeaux



White Infinity



Dimensions (WxHxD 38,9 x 28 x 14,6 inch)

LA NORDICA • MILLY

Colour	Code	Price
Bordeaux	7018005	\$3,885.00
White Infinity	7018006	\$3,885.00

OPTIONAL

	Food warmer Bordeaux dimensions (WxHxD) 38,9 x 28 x 14,6 inch Attention: pipe not included	Code 7018010	Price \$945.00
	Food warmer White Infinity dimensions (WxHxD) 38,9 x 28 x 14,6 inch Attention: pipe not included	Code 7018013	Price \$945.00
	Enameled backing tray 15,2 x 16,8 inch	Code 1017229	
	Inox Oven grid Dimensions: 16,8 x 16,1 inch	Code 1017109	Price \$31.49


ROSA REVERSE CERAMIC

Wood burning cooker

27.638* BTU/h | 303* yd³



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
27.638 BTU/h

Efficiency*
81,1 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
40,6 x 33,5 x 25,6 inch

Net weight
404 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
13,8 x 9,3 inch

Hearth dimensions (WxHxD)
14,7 x 11,4 x 12,6 inch

Oven dimensions (WxHxD)
9,6 x 11,9 x 15,1 inch

Wood length (max)
8,7 inch

Oven capacity
7,5 gallons

Download technical sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

DETAIL



Wood drawer

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Direct outdoor air intake (BBC)

COLOUR CHOICES

External facing in majolica



Liberty Bordeaux



Liberty Panna

LA NORDICA • ROSA REVERSE CERAMIC

Colour	Code	Price
Liberty Bordeaux	7015316	\$3,465.00
Liberty Panna	7015325	

OPTIONAL

	Code	Price
Inox tank 4,5	1014950	\$64.04
Inox Oven grid Dimensions: 9,2 x 15 inch	1014110	
Enameled backing tray Dimensions: 9,1 x 15,4 inch	1210610	

ROSA SINISTRA REVERSE

Wood burning cooker

27.980* BTU/h | 307* yd³



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
27.980 BTU/h

Efficiency*
86,5 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
40,6 x 33,5 x 25,6 inch

Net weight
404 - 441 Stone lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
13,8 x 9,3 inch

Hearth dimensions (WxHxD)
14,7 x 11,4 x 12,6 inch

Oven dimensions (WxHxD)
9,6 x 11,9 x 15,1 inch

Wood length (max)
8,7 inch

Oven capacity
7,5 gallons

Download technical sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Direct outdoor air intake (BBC)

COLOUR CHOICES

External facing in majolica or in natural stone



Liberty Bordeaux (Ceramic)



Liberty Panna (Ceramic)



Natural stone (Stone)

LA NORDICA • ROSA SINISTRA REVERSE

Colour	Code	Price
Liberty Bordeaux	7015317	
Liberty Panna	7015327	
Natural stone	7015309	

OPTIONAL

	Code	Price
Inox tank 4,5	1014950	
Inox Oven grid Dimensions: 9,2 x 15 inch	1014110	
Enameled backing tray Dimensions: 9,1 x 15,4 inch	1210610	

ROSA CERAMIC

Wood burning cooker

28.662* BTU/h | 314* yd³



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
28.662 BTU/h

Efficiency*
87,1 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
40,6 x 33,5 x 25,6 inch

Net weight
404 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8,7 x 10,4 inch

Hearth dimensions (WxHxD)
10,7 x 12,6 x 14,3 inch

Oven dimensions (WxHxD)
13 x 11,8 x 16 inch

Wood length (max)
11,8 inch

Oven capacity
10,8 gallons

Download technical sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Outdoor air intake (ASC)

COLOUR CHOICES

External facing in majolica



Liberty Bordeaux



Liberty Panna

LA NORDICA • ROSA CERAMIC

Colour	Code	Price
Liberty Bordeaux	7015311	\$3,150.00
Liberty Panna	7015326	

OPTIONAL

	Code	Price
Inox tank 4,5	1014950	\$64.04
Inox Oven grid Dimensions: 11,7 x 15 inch	1014100	\$31.49
Enameled backing tray Dimensions: 11,7 x 14,8 inch	1014024	
High-adjustable grate	1035402	


ROSA MAJOLICA

Wood burning cooker

28.662* BTU/h | 314* yd³



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
28.662 BTU/h

Efficiency*
87,1 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
40,6 x 33,5 x 25,6 inch

Net weight
450 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8,7 x 10,4 inch

Hearth dimensions (WxHxD)
10,7 x 12,6 x 14,3 inch

Oven dimensions (WxHxD)
13 x 11,8 x 16 inch

Wood length (max)
11,8 inch

Oven capacity
10,8 gallons

Download technical sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Outdoor air intake (ASC)

COLOUR CHOICES

External facing in majolica



White Infinity



Bordeaux



Tortora

LA NORDICA • ROSA MAJOLICA

Colour	Code	Price
White Infinity	7015313	\$3,570.00
Bordeaux	7015314	
Tortora	7015315	

OPTIONAL

	Code	Price
Inox tank 4,5	1014950	\$64.04
Inox Oven grid Dimensions: 11,7 x 15 inch	1014100	
Enameled backing tray Dimensions: 11,7 x 14,8 inch	1014024	
High-adjustable grate	1035402	

ROSA STONE

Wood burning cooker

28.662* BTU/h | 314* yd³



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
28.662 BTU/h

Efficiency*
87,1 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
40,6 x 33,5 x 25,6 inch

Net weight
441 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8,7 x 10,4 inch

Hearth dimensions (WxHxD)
10,7 x 12,6 x 14,3 inch

Oven dimensions (WxHxD)
13 x 11,8 x 16 inch

Wood length (max)
11,8 inch

Oven capacity
10,8 gallons

Download technical sheet



SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



ENAMELED BACKING TRAY (1 piece)



MULTI-PURPOSE OPERATING TOOL (1 piece)

TECHNOLOGY



Post combustion



Doors in cast iron



Glass cleaning system



Outdoor air intake (ASC)

COLOUR CHOICES

External facing in natural stone



Natural stone

LA NORDICA • ROSA STONE

Colour	Code	Price
Natural stone	7015312	\$3,255.00

OPTIONAL

	Code	Price
Inox tank 4,5	1014950	\$64.04
Inox Oven grid Dimensions: 11,7 x 15 inch	1014100	
Enameled backing tray Dimensions: 11,7 x 14,8 inch	1014024	
High-adjustable grate	1035402	\$120.74

ROSAL

Wood burning cooker

27.638* BTU/h | 303* yd³



CHARACTERISTICS



TECHNICAL DATA

Nominal power*
27.638 BTU/h

Efficiency*
84,0 %

Hourly consumption*
5 lb/h

Dimensions (WxHxD)
38,4 x 34 x 26,4 inch

Net weight
424 lb

Fumes flue diameter (Ø)
6 inch B/T

Hearth opening size (WxH)
8,8 x 8,3 inch

Hearth dimensions (WxHxD)
11,6 x 12 x 18,1 inch

Oven dimensions (WxHxD)
12 x 16,5 x 16,9 inch

Wood length (max)
11,8 inch

Oven capacity
14,6 gallons

Download technical sheet




SCAN ME

* Data obtained in accordance to EN 12815:2006



STANDARD EQUIPMENT



DETAIL



COLOUR CHOICES

External finish in enameled steel



Anthracite black

LA NORDICA • ROSAL

Colour	Code	Price
Anthracite black	7015304	\$3,517.50

OPTIONAL

	Code	Price
Enamel backing tray Dimensions: 11,7 x 14,8 inch	1014024	
Ceramic glass top kit	7016255	
Inox Oven grid Dimensions: 11,7 x 15,0 inch	1014100	


TECHNOLOGY









N.B. Enameled cast iron, when used correctly, has almost an unlimited life and requires minimal maintenance.

THE IDEAL SOLUTION TO FACILITATE THE INSTALLATION AND USE OF OUR PRODUCTS







To satisfy even the most demanding customers, we have enhanced our catalogue with important accessories.



COOKING ACCESSORIES

Description	Code	Price
Milly warming compartment <ul style="list-style-type: none"> • Top food warmer with back for Milly cookers • Enameled cast iron sides • Interior in lava stone and stainless steel for food use 		
	 <p>Food warmer Bordeaux dimensions (WxHxD) 38,9 x 28 x 14,6 inch Attention: pipe not included</p>	<p>7018010</p> <p>\$945.00</p>
	 <p>Food warmer White Infinity dimensions (WxHxD) 38,9 x 28 x 14,6 inch Attention: pipe not included</p>	<p>7018013</p> <p>\$945.00</p>
Rosa high-adjustable grate		
	<p>High-adjustable grate for the cast iron hearth of</p> <ul style="list-style-type: none"> • Rosa 	<p>1035402</p>
Oven grid		
	<p>Inox Oven grid 11,7 x 15 inch. Available for:</p> <ul style="list-style-type: none"> • Rosa • Rosa L 	<p>1014100</p>
	<p>Inox Oven grid 9,2 x 15 inch. Available for:</p> <ul style="list-style-type: none"> • Rosa Reverse • Rosa Sinistra Reverse 	<p>1014110</p>
	<p>Inox Oven grid 16,8 x 116,1 inch. Available for:</p> <ul style="list-style-type: none"> • Milly • Rosa XXL • Alaska 	<p>1017109</p>
Inox grid		
	<p>Double inox grid. Available for:</p> <ul style="list-style-type: none"> • Alaska 	<p>7016150</p>

COOKING ACCESSORIES

	Description	Code	Price
	Enameled backing tray Enameled backing tray 11,7 x 14,8 inch. Available for: • Rosa • Rosa L	1014024	
	Enameled backing tray 9,1 x 15,4 inch. Available for: • Rosa Reverse • Rosa Sinistra Reverse	1210610	
	Enameled backing tray 15,2 x 16, 8 inch. Available for: • Rosa XXL • Milly • Alaska	1017229	
	Enamelled backing tray 15,2 x 11,6 inch. Available for: • Alaska (to place on the grid)	1119000	
	Inox tank Inox tank 4,5. Available for: • Rosa UL-C • Rosa Sinistra Reverse UL-C • Rosa Reverse	1014950	\$64.04
	Handrail and end caps Chrome. Available for: • Alaska	7016057	

CERTIFICATES



ETL (Electrical Testing Laboratories) – Product Safety Approval.

The ETL Listed marking certifies that the product has been tested by an independent and accredited laboratory (Intertek), complying with the minimum safety requirements, recognized and accepted in the same way as the UL and ULC marking, to be sold and distributed in the territory of North America.

“The La Nordica appliances of the UL-C series are solid-fuel, i.e. wood, cookstoves specifically designed to fulfill all the safety requirements required by the market. In particular, these products have been certified to the test standards UL 1482 and ULC S627 for the US and Canadian markets, respectively. Installation compliance is given by following the requirements of the test standards together with the national installation codes for each country.”

TERMS AND CONDITIONS OF SALE



- The contractual relationship resulting from acceptance of each individual order is governed by the standards described in these general terms of sale. The purchaser waives any other general purchasing conditions, unless otherwise specifically accepted in writing by LA NORDICA S.p.A.
 - The purchase order is irrevocable and binding for the purchaser, and shall be considered accepted when the purchaser receives formal confirmation thereof from LA NORDICA S.p.A. Once confirmed, the purchase order may not be cancelled without the prior written consent of LA NORDICA S.p.A. In this event, LA NORDICA S.p.A. shall have the right to a suitable indemnity for the expenses and costs sustained in beginning to fulfill the order.
 - The prices indicated in the sale catalogues/price lists are purely indicative, and may change during the validity period of the catalogues/price lists themselves due to increased production costs. Once confirmed according to the procedures set forth in art. 2, the sale prices indicated in the order shall become binding, except in the event of unforeseen increases in production costs beyond LA NORDICA S.p.A.'s control. In this event LA NORDICA S.p.A. shall inform the purchaser of the price increase, indicating the cause thereof.
 - Delivery terms are purely indicative unless specifically agreed otherwise. Should the manufacturer be unable to fulfill the order due to circumstances of force majeure, irregular supply of raw materials or other unforeseeable circumstances, the terms of delivery shall be considered extended, and the new terms will be established by mutual agreement between the parties.
 - Products will be delivered to the purchaser ex-works (EXW) from the LA NORDICA S.p.A. facilities in Montecchio Precalcino (Vicenza, Italy) (Incoterms® 2010). Products will be sold under retention of title and remain property of LA NORDICA S.p.A. until the full-agreed price has been paid.
 - The purchaser undertakes to verify the quantity and state of the shipped packages in confrontation with the carrier or forwarding agent. Any complaints regarding quantity discrepancies or damaged packages must be notified to the carrier and according to the procedure agreed with the carrier itself. No Products may be returned unless previously agreed upon with LA NORDICA S.p.A. In the case of authorized returns, the Products will have to be returned via free port and packing free of charge and shall be credited at the purchase price with a deduction from 10% to 30% for inspection and repackaging costs. In any case return of items which are not included in the price list currently in force at the time of the request will not be taken into consideration.
 - LA NORDICA S.p.A. does hereby represent and warrant that the Products shall comply with the technical specifications available in LA NORDICA S.p.A.'s catalogues and literature in general. The products are guaranteed for the period of one year from the date of purchase. In order to enforce the guarantee, purchaser must report the non-conformity in writing to the vendor and exhibit the purchase receipt. In the event of non-conformity, the consumer may request LA NORDICA S.p.A. to repair or to replace the defective products. LA NORDICA S.p.A. guarantees to repair the defective products free of charge. The guarantee shall not operate in the event of improper use of the products. Equally, non-conformities due to negligent or careless use, failure to comply with the instructions for operation of the equipment, installation in places that require specific safety standard, installation or maintenance performed by unauthorized personnel, damage caused during transport or by circumstances unrelated to manufacturing defects and/or non-conformity of the products are not covered by the present guarantee. LA NORDICA S.p.A. declines all liability for damage or injury which may be caused directly or indirectly to persons, property and domestic animals as a result of failure to comply with the instructions given in LA NORDICA S.p.A.'s catalogues and literature, in particular those related to installation, use and maintenance of the product. This warranty is the only warranty given by LA NORDICA S.p.A. . Consequently, except in case it is proven LA NORDICA S.p.A.'s gross negligence, LA NORDICA S.p.A. shall not be liable for any direct or indirect damage or loss of profit due to the misuse, the inability to use, or the incorporation of the Products in other products.
 - The Products must be installed and/or used in compliance with their technical specifications and instructions provided by LA NORDICA S.p.A.; they must also be installed and/or used in observance of the regulations and requirements governing the installation and/or use of electrical material in force in the country where the products are installed and/or used. Purchaser expressly relieves LA NORDICA S.p.A. of any liability in case the ordered products do not comply with the rules and/or standard and/or technical specifications in force in the country where they are delivered or installed in. Ordering the products Purchaser expressly declares that he has carried out all the necessary investigations regarding the compatibility of standards in force in the country for which they are purchased.
 - Payments must be made according to the procedures notified by LA NORDICA S.p.A. Failure to pay invoices, in full or in part, beyond the established due date shall immediately lead to the application of interest at the rate as per D.Lgs. 9th October 2002, n. 231, in addition to any bank charges and commissions. Failure to pay for any reason shall authorize LA NORDICA S.p.A. to suspend additional shipments of material.
 - Under the terms of art. 10 of the law 196/2003, the purchaser is hereby informed that all personal information shall be entered into the LA NORDICA S.p.A. database, as a necessary aspect of correctly upholding the contractual relationship and compliance with certain legal requirements, as well as for statistical, commercial, marketing, promotional purposes, credit protection, management and transfer thereof. The personal information of the purchaser is processed by automated means and by authorized persons, with the use of security measures aimed at ensuring confidentiality. The personal information of the purchaser may be notified to public agencies, other firms within the group, credit retrieval firms or firms, consortia or associations for commercial, market research, and marketing purposes. LA NORDICA S.p.A. is the owner of processed data, whom the purchaser may contact to exercise his rights as set forth in article 13 of the law cited above. To this end the purchaser is hereby informed that he may access his own personal information at any time, and request that it be updated, corrected, or deleted and/or refuse to allow processing thereof.
 - The rights and obligations of the Parties are governed by Italian law, and the Court of Vicenza has non-exclusive jurisdiction over any controversy that may arise in relation to the sale of the products. The purchaser irrevocably accepts the jurisdiction of the Court of Vicenza should LA NORDICA S.p.A. file a suit with said court.
- Validity of price list: from 01/04/2023 until otherwise notified.

NOTE

Due to printing reasons the reproduction of colours has to be considered only indicative. Facing tones and characteristics are subject to slight variations because they are natural products. The manufactures reserve the right to change the products without any previous notice. The La Nordica products can be covered by industrial property rights (such as patents, designs and trademarks) owned by La Nordica exclusively. It is strictly forbidden to violate these rights as for removing, cancelling or corrupting the trademarks impressed on the products and impressing others. yd³ that can be heated: the data is indicative. For the generator to be sized correctly, contact a skilled technician/designer. Interim document and subject to changes

LEGEND

BTU/h: Nominal thermal power (kW) - **yd³:** Heatable yd³ (26.68 W/yd³) - **%:** Efficiency (%) - **lb/h:** Hourly consumption (lb/h) - **Ø inch:** Smoke outlet diameter (inch) T = Top, B = Back, RH side = Right side, LH side = Left side - **Dim. WxHxD:** Dimensions WxHxD (inch) - **lb:** Net weight (lb) - **W:** Electrical power consumption (W)

NORDICA[®]
Extraflame
Warms up your life.

FEELING COSY AT HOME
A natural choice



 **NORDICA**[®]
Extraflame
Warms up your life.



© 2023 La Nordica SpA - All rights reserved - LINEX 01/23



La Nordica S.p.A.

Via Summano, 104 • 36030 Montecchio Precalcino - Vicenza - Italy

Tel. +39 0445 804000

export@lanordica.com

www.lanordica-extraflame.com

MCA Group.it

9300160-001

